# **PHYSICS**

#### **SCIENCE Paper – 1**

(Two hours)

Answers to this Paper must be written on the paper provided separately.

You will **not** be allowed to write during the first **15** minutes.

This time is to be spent in reading the Question Paper.

The time given at the head of this Paper is the time allowed for writing the answers.

Section I is compulsory. Attempt any four questions from Section II.

The intended marks for questions or parts of questions are given in brackets [].

#### **SECTION I (40 Marks)**

Attempt all questions from this Section

#### Question 1

(a) The diagram below shows a claw hammer used to remove a nail: [2]

Claw hammer


Nail

- (i) To which class of lever does it belong?
- (ii) Give one more example of the **same class** of lever mentioned by you in (i) for which the **mechanical advantage is greater than one**.
- (b) Two bodies A and B have masses in the ratio 5:1 and their kinetic energies are [2] in the ratio 125:9. Find the ratio of their velocities.
- (c) (i) Name the physical quantity which is measured in calories. [2]
  - (ii) How is calorie related to the S.I unit of that quantity?

- (d) (i) Define couple. [2]
  - (ii) State the S.I. unit of moment of couple.
- (e) (i) Define critical angle. [2]
  - (ii) State one important factor which affects the critical angle of a given medium.

- (a) An electromagnetic radiation is used for photography in fog. [2]
  - (i) Identify the radiation.
  - (ii) Why is this radiation mentioned by you, ideal for this purpose?
- (b) (i) What is the relation between the refractive index of water with respect to [2] air  $(a\mu w)$  and the refractive index of air with respect to water  $(w\mu a)$ .
  - (ii) If the refractive index of water with respect to air  $(a\mu_w)$  is  $\frac{5}{3}$ .


    Calculate the refractive index of air with respect to water  $(w\mu_a)$ .
- (c) The specific heat capacity of a substance A is 3,800 Jkg<sup>-1</sup>K<sup>-1</sup> and that of a [2] substance B is 400 Jkg<sup>-1</sup>K<sup>-1</sup>. Which of the two substances is a good conductor of heat? Give a reason for your answer.
- (d) A man playing a flute is able to produce notes of different frequencies. If he closes the holes near his mouth, will the pitch of the note produced, increase or decrease? Give a reason.
- (e) The diagram below shows a light source P embedded in a rectangular glass [2] block ABCD of critical angle 42°. Complete the path of the ray PQ till it emerges out of the block. [Write necessary angles.]



- (a) (i) If the lens is placed in water instead of air, how does its focal length [2] change?
  - (ii) Which lens, thick or thin has greater focal length?
- (b) Two waves of the same pitch have amplitudes in the ratio 1: 3. [2] What will be the ratio of their:
  - (i) intensities and
  - (ii) frequencies?
- (c) How does an increase in the temperature affect the specific resistance of a: [2]
  - (i) Metal and
  - (ii) Semiconductor?
- (d) (i) Define resonant vibrations. [2]
  - (ii) Which characteristic of sound, makes it possible to recognize a person by his voice without seeing him?
- (e) Is it possible for a hydrogen (<sup>1</sup><sub>1</sub>H) nucleus to emit an alpha particle? [2]
  Give a reason for your answer.


#### **Question 4**

(a) Calculate the effective resistance across AB: [2]



- (b) (i) State whether the specific heat capacity of a substance remains the same [2] when its state changes from solid to liquid.
  - (ii) Give one example to support your answer.

(c) A magnet kept at the centre of two coils A and B is moved to and fro as shown [2] in the diagram. The two galvanometers show deflection.



State with a **reason** whether:

or

x < y. [x and y are magnitudes of deflection.]

- (d) (i) Why is a nuclear fusion reaction called a thermo nuclear reaction? [2]
  - (ii) Complete the reaction:

$$^{3}\text{He}_{2} + ^{2}\text{H}_{1} \longrightarrow ^{4}\text{He}_{2} + \dots + \text{Energy}$$
(e) State two ways to increase the speed of rotation of a D.C. motor. [2]


# **SECTION II (40 Marks)**

Attempt any four questions from this Section

# **Question 5**

- (a) A body of mass 10 Kg is kept at a height of 5 m. It is allowed to fall and reach [3] the ground.
  - (i) What is the total mechanical energy possessed by the body at the height of 2 m assuming it is a frictionless medium?
  - (ii) What is the kinetic energy possessed by the body just before hitting the ground? Take  $g = 10 \text{ m/s}^2$ .

(b) A uniform meter scale is in equilibrium as shown in the diagram:



[3]

[4]


- (i) Calculate the weight of the meter scale.
- (ii) Which of the following options is correct to keep the ruler in equilibrium when 40 gf wt is shifted to 0 cm mark?

F is shifted towards 0 cm.

or

F is shifted towards 100 cm.

(c) The diagram below shows a pulley arrangement:



- (i) Copy the diagram and mark the direction of tension on each strand of the string.
- (ii) What is the velocity ratio of the arrangement?
- (iii) If the tension acting on the string is T, then what is the relationship between T and effort E?
- (iv) If the free end of the string moves through a distance x, find the distance by which the load is raised.


T19 521 5 Turn Over

- (a) How does the angle of deviation formed by a prism change with the increase in [3] the angle of incidence?
  - Draw a graph showing the variation in the angle of deviation with the angle of incidence at a prism surface.
- (b) A virtual, diminished image is formed when an object is placed between the [3] optical centre and the principal focus of a lens.
  - (i) Name the type of lens which forms the above image.
  - (ii) Draw a ray diagram to show the formation of the image with the above stated characteristics.
- (c) An object is placed at a distance 24 cm in front of a convex lens of focal length [4] 8 cm.
  - (i) What is the nature of the image so formed?
  - (ii) Calculate the distance of the image from the lens.
  - (iii) Calculate the magnification of the image.

#### **Ouestion 7**

- (a) It is observed that during march-past we hear a base drum distinctly from a [3] distance compared to the side drums.
  - (i) Name the characteristic of sound associated with the above observation.
  - (ii) Give a reason for the above observation.
- (b) A pendulum has a frequency of 4 vibrations per second. An observer starts the pendulum and fires a gun simultaneously. He hears the echo from the cliff after 6 vibrations of the pendulum. If the velocity of sound in air is 340 m/s, find the distance between the cliff and the observer.


(c) Two pendulums C and D are suspended from a wire as shown in the figure given below. Pendulum C is made to oscillate by displacing it from its mean position. It is seen that D also starts oscillating.




- (i) Name the type of oscillation, C will execute.
- (ii) Name the type of oscillation, D will execute.
- (iii) If the length of D is made equal to C then what difference will you notice in the oscillations of D?
- (iv) What is the name of the phenomenon when the length of D is made equal to C?

# Question 8 (a) (i) Write one advantage of connecting electrical appliances in parallel

- (a) (i) Write one advantage of connecting electrical appliances in parallel combination. [3]
  - (ii) What characteristics should a fuse wire have?
  - (iii) Which wire in a power circuit is connected to the metallic body of the appliance?
- (b) The diagram below shows a dual control switch circuit connected to a bulb. [3]



- (i) Copy the diagram and complete it so that the bulb is switched ON.
- (ii) Out of A & B which one is the live wire and which one is the neutral wire?



The diagram above shows a circuit with the key k open. Calculate:

- (i) the resistance of the circuit when the key k is open.
- (ii) the current drawn from the cell when the key k is open.
- (iii) the resistance of the circuit when the key k is closed.
- (iv) the current drawn from the cell when the key k is closed.

# **Question 9**

- (a) (i) Define Calorimetry. [3]

  (ii) Name the material used for making a Calorimeter.
  - (iii) Why is a Calorimeter made up of thin sheets of the above material answered in (ii)?
- (b) The melting point of naphthalene is 80°C and the room temperature is 30°C. A sample of liquid naphthalene at 100°C is cooled down to the room temperature. Draw a temperature time graph to represent this cooling. In the graph, mark the region which corresponds to the freezing process.
- (c) 104 g of water at 30°C is taken in a calorimeter made of copper of mass 42 g. [4] When a certain mass of ice at 0°C is added to it, the final steady temperature of the mixture after the ice has melted, was found to be 10°C. Find the mass of ice added. [Specific heat capacity of water = 4.2 Jg<sup>-1</sup>°C<sup>-1</sup>; Specific latent heat of fusion of ice = 336 Jg<sup>-1</sup>; Specific heat capacity of copper = 0.4 Jg<sup>-1</sup>°C<sup>-1</sup>]


- (a) Draw a neat labeled diagram of an A.C. generator.
- (b) (i) Define nuclear fission. [3]

[3]

(ii) Rewrite and complete the following nuclear reaction by filling in the atomic number of Ba and mass number of Kr:

$$^{235}_{92}U + ^{1}_{0}n \longrightarrow ^{144}_{....}Ba + ^{....}_{36}Kr + 3 ^{1}_{0}n + Energy$$

(c) The diagram below shows a magnetic needle kept just below the conductor AB [4] which is kept in North South direction.



- (i) In which direction will the needle deflect when the key is closed?
- (ii) Why is the deflection produced?
- (iii) What will be the change in the deflection if the magnetic needle is taken just above the conductor AB?
- (iv) Name one device which works on this principle.